

We witnessed the introduction of ...

the Occupational and Safety Act in 1970 to protect workers from accidents and illness. OSHA's adoption of the 2011 ANSI Z535 sign standard adds updated designs to better identify hazards at a glance.



Sign Up With Brooks!



VINYL SIGNS (SELF-ADHESIVE)

SELF-ADHESIVE VINYL SIGNS and **LABELS** are silk screened with UV inks, then clear laminated for durability and fade resistance. Mounting surface must be clean, dry, smooth, and non-porous. To mount these on a porous surface, such as brick or concrete block, use our **Sign On!** aerosol adhesive.

ALUMINUM SIGNS

ALUMINUM SIGNS are silk screened, then oven baked for added durability. They also have smooth, finished edges; rounded corners; and pre-drilled mounting holes. Ideal for mounting on porous surfaces, such as concrete block or brick.

RIGID PLASTIC SIGNS

RIGID PLASTIC SIGNS are screen printed with UV inks on both sides. Rigid, tough plastic ($^{1}/_{32}$ " thick) with keyhole slots for easy perpendicular wall mounting.



BL120





FIRE EXTINGUISHER SIGNS

VINYL SIGNS

P/N	DESCRIPTION	LXH
BL107	"Fire Extinguisher" Arrow	12" x 8"
BL108	"Fire Extinguisher" Arrow	4" x 12"
BL109	"Fire Extinguisher" Arrow	4" x 18"
BL109S	Spanish "Extintor" Arrow	4" x 18"
BL114	"Fire Extinguisher" Arrow	8" x 12"
BL120	"Fire Extinguisher"	$12'' \times 4^{1/2}''$
BL127	Wrap Around Column or Pole	$24^{1/2}$ " x $12^{1/2}$ "
	"Fire Extinguisher" Arrow	
BL132	"Extinguisher Missing"	4" x 4"
BL189	K-Class "Fire Extinguisher"	12" x 8"
	Arrow, Bilingual	











ALUMINUM SIGNS

DESCRIPTION	LXH
"Fire Extinguisher" Arrow	12" x 8"
"Fire Extinguisher" Arrow	4" x 12"
"Fire Extinguisher" Arrow	4" x 18"
"Fire Extinguisher" Arrow	8" x 12"
	"Fire Extinguisher" Arrow

RIGID PLASTIC SIGNS

P/N	DESCRIPTION	LXH
RP107	"Fire Extinguisher" Arrow	12" x 8"
RP108	"Fire Extinguisher" Arrow	4" x 12"
RP109	"Fire Extinguisher" Arrow	4" x 18"
RP114	"Fire Extinguisher" Arrow	8" x 12"
RP189	K-Class "Fire Extinguisher"	8" x 12"
	Arrow, Bilingual	

ALUMINUM 90° ANGLE SIGNS

P/N	DESCRIPTION	LXH
AWM108	"Fire Extinguisher" Arrow	4" x 12"
AWM109	"Fire Extinguisher" Arrow	4" x 18"
AWM114		8" x 12"

RIGID PLASTIC 90° ANGLE SIGNS

P/N	DESCRIPTION	LXH
PWM108	"Fire Extinguisher" Arrow	4" x 12"
PWM109	"Fire Extinguisher" Arrow	4" x 18"
PWM114	"Fire Extinguisher" Arrow	8" x 12"

3-D RIGID PLASTIC ANGLE SIGNS

P/N	DESCRIPTION	LXH
PTD108	"Fire Extinguisher" Arrow	4" x 12"
PTD109	"Fire Extinguisher" Arrow	4" x 18"
PTD182	"Fire Extinguisher" Arrow	5" x 6"
PTD109B	"Fire Extinguisher" Arrow, Bilingual	11" x 18"

FIRE EXTINGUISHER INSIDE SIGNS

VINYL SIGNS

P/N	DESCRIPTION	LXH
BL105	"Fire Extinguisher Inside"	4" x 4"
BL116	"Fire Extinguisher Inside"	6" x 9"
BL172	"Fire Extinguisher Inside"	4" x 3"
BL183	"Fire Extinguisher Inside"	18" x 2"

FIRE EXTINGUISHER CABINET SIGNS

VINYL SIGNS

P/N	DESCRIPTION	LXH
BL130	Reversed "In Case Of Fire Break Front"	$4^{3}/_{4}$ " x $1^{1}/_{2}$ "
BL123	"Warning \$500 Fine"	4" x 4"
BL131	"Warning \$1000 Fine"	4" x 4"
BL128	"WarningElectronic Alarm"	6" x 2"
BL106	"Fire Extinguisher-In Case Of Fire	6" x 2"
	Break Glass ⁴⁷	
BL135R	Red "Fire" Die-Cut	$3'' \times 8^{1/2}''$
BL135W*	White "Fire" Die-Cut	$3'' \times 8^{1/2}''$
BLM12*	"Pull Here"	$4'' \times 2^{1/2}''$
	*WHILE QUANTITIES LAST!	

.

SIGN ADHESIVE

Sign On! ADHESIVE.

P/N DESCRIPTION

Sign On! Aerosol Adhesive BA1





































BL174



VINYL SIGNS

P/N	DESCRIPTION	LXH
BL110	"No Smoking"	12" x 4
BL115	"No Smoking"	8" x 10
BL174	"No Smoking" w/ Picture	8" x 5"



BL110







RP194

BL126

RIGID PLASTIC SIGNS

ALUMINUM SIGNS DESCRIPTION

P/N

A115

A110

P/N	DESCRIPTION	LXH
RP115	"No Smoking" w/ Picture	8" x 10"
RP140	"Danger No Smoking"	8" x 10"
RP194	"Smoking Permitted""	8" x 10"
	w/ Picture	

"No Smoking" w/ Picture
"No Smoking"

L X H 8" x 10" 12" x 4"

L X H 12" x 8"



BL137



FIRE DOOR KEEP CLOSED

BL167

SELF-ADHESIVE VINYL SIGNS

EXIT SIGNS AND DIRECTIONAL ARROWS

P/N BL112W BL112 BL126 BL117	"Exit", White Background "Exit", Red Background "Not An Exit" "In Case Of FireUse	L X H 12" x 8" 12" x 8" 10" x 9" 5 ¹ / ₂ " x 7"
BL137 BL187	Stairways" "This Door To Remain Unlocked" "This Door To Remain	23" x 1 ⁷ / ₈ " 12" x 6"
BL167 BL168 BL169 BL133 BL113 BL121	Unlocked" "Fire Door - Keep Closed" "Emergency Exit Only" "Emergency Exit Only" Directional Arrow Directional Arrow Directional Arrow	12" x 6" 12" x 6" 12" x 6" 4" Dia 8" x 5" 12" x 1 ¹ / ₂ "















RIGID PLASTIC SIGNS P Ŕĺ

P/N

A112

ALUMINUM SIGNS

"Exit"

DESCRIPTION

P/N	DESCRIPTION	LXH
RP112	"Exit"	12" x 8"
RP117	"In Case Of FireUse	$5^{1}/_{2}$ " x 7'
	Stairways"	





3-D RIGID PLASTIC ANGLE SIGNS

P/N	DESCRIPTION	LXH
PTD112	"Exit"	12" x 8"

FIRE HOSE SIGNS

VINYL SIGNS

P/N	DESCRIPTION	LXH
BL111	"Fire Hose"	12" x 4"
BL118	"Fire Hose" Arrow	8" x 12"
BL125	"Fire Hose" Arrow	4" x 18"

PLASTIC 90° ANGLE SIGNS

P/N	DESCRIPTION	LXH
PWM125	"Fire Hose" Arrow	4" x 18"

FIRE ALARM SIGNS

VINYL SIGNS

P/N	DESCRIPTION	LXH
BL119	"Fire Alarm" Arrow	8" x 12"
BL185	"Fire Alarm Pull Station Inside"	4" x 4"

3-D RIGID PLASTIC ANGLE SIGNS

P/N	DESCRIPTION	LXH
PTD156	"Fire Alarm" Arrow	4" x 12"

DANGER SIGNS

ANSI Z535 RIGID PLASTIC SIGNS

P/N	DESCRIPTION	LXH
→ RP139A	"Danger High Voltage"	7" x 10"
→ RP140A	"Danger No Smoking"	7" x 10"
→ RP146A	"Danger Flammable Materials"	7" x 10"
→ RP147A	"Danger Authorized Personnel	7" x 10"
	Only "	
→ RP148A	"Danger Construction Area"	7" x 10"
→ RP150A	"Danger Flammable"	7" x 10"
→ RP152A	"Danger Keep Out"	7" x 10"

RIGID PLASTIC SIGNS

P/N	DESCRIPTION	LXH
RP139	"Danger High Voltage"	10" x 8"
RP140	"Danger No Smoking"	10" x 8"
RP145	"Danger Safety Glasses"	10" x 8"
RP146	"Danger Flammable Liquids"	10" x 8"
RP147	"Danger Authorized"	10" x 8"
RP148	"Danger Construction"	10" x 8"
RP150	"Danger Flammable"	10" x 8"
RP151	"Danger Hard Hat Area"	10" x 8"
RP152	"Danger Keep Out"	10" x 8"
RP153	"Danger Do Not Enter"	10" x 8"
RP154	"Danger Ear Protection"	10" x 8"

CAUTION SIGNS

ANSI Z535 RIGID PLASTIC SIGNS

P/N	DESCRIPTION	LXH
→ RP145A	"Caution Eye Protection"	7" x 10"
→ RP151A	"Caution Hard Hat Required"	7" x 10"
→ RP154A	"Caution Hearing Protection"	7" x 10"

SIGNS, LABELS, & TAGS

















A DANGER





RP140A















FIRE EXTINGUISHER SAFETY **FEPOSTER**



FAPOSTER

SAFETY TRAINING POSTERS

SAFETY TRAINING POSTERS provide concise, easy-tounderstand explanations of key safety topics and their specific issues. All posters are laminated on both sides for extra durability.

P/N	DESCRIPTION	LXH
FEPOSTER	"Fire Extinguisher"	24" x 18"
FAPOSTER	"First Aid Training"	24" x 18"

MISCELLANEOUS SIGNS

The **HEIGHT INDICATOR** mounts next to door frames to help law enforcement determine a person's height. Durable vinyl exceeds Reflectivity 3 requirements and is adhesive-backed for easy installation. Tape is $1^{1}/2^{"} \times 3^{"}$ and marked from $4^{"}-7^{"}$.

P/N **DESCRIPTION** 103650BY Height Indicator









VINYL SIGNS

P/N BL170 BL124	"Fire Blanket" Arrow Hose Rack Operation	4" x 18" 13" x 2 ³ / ₄ "
P/N BL144	DESCRIPTION "First Aid Station" Arrow	LXH 8" x 12"
P/N BL157	DESCRIPTION "First Aid Kit Inside"	L X H 4" x 4"





RIGID PLASTIC SIGNS

P/N	DESCRIPTION	LXH
RP176	"Emergency Eye Wash" "Emergency Eye Wash" ANSI	8" x 10"
→ RP176A	"Emergency Eye Wash" ANSI	7" x 10"
	Z535 Sign	
RP120	"In Case of Emergency Dial 911"	8" x 10"
RP144	"First Aid"	8" x 10"
→ RP144A	"Emergency First Aid" ANSI	7" x 10"
	Z535 Sign	
RP257	"For Use On Combustible"	7" x 10"



G186





			AE
G113	-	G261	



3-D RIGID PLASTIC ANGLE SIGNS

P/N	DESCRIPTION	LXH
PTD261	AED Stand-Out	5" x 6"
PTD176	"Emergency Eye Wash"	18" x 10"

GLOW-IN-THE-DARK SIGNS

GLOW-IN-THE-DARK SELF-ADHESIVE VINYL SIGNS

will glow for up to eight hours, remaining very visible in normal lighting. Cycling from daylight to darkness will not wear out signs.

P/N	DESCRIPTION	LXH
G108	"Fire Extinguisher" Arrow	4" x 12"
G109	"Fire Extinguisher" Arrow	4" x 18"
G112	"Exit"	12" x 8"
G113	Directional Arrow	8" x 5"
G126	"No Exit"	5" x 5 ¹ / ₄ "
G186	"Fire Extinguisher"	6" x 1"
G261	AED Sign	6" x 8"

9

SYSTEM SIGNS

ALUMINUM SIGNS (ADHESIVE-BACKED)

DESCRIPTION	LXH
"Caution"	5" x 2"
Spanish "Caution"	5" x 2"
"Remote Pull Station"	5" x 3"
"Fire System"	5" x 3"
"Fryer"	4" x 2"
"Griddle"	4" x 2"
"Broiler"	4" x 2"
"Hood #1"	4" x 2"
"Hood #2"	4" x 2"
"Hood #3"	4" x 2"
"Hood #4"	4" x 2"
	"Caution" Spanish "Caution" "Remote Pull Station" "Fire System" "Fryer" "Griddle" "Broiler" "Hood #1" "Hood #2" "Hood #3"

SPRINKLER SIGNS

SPRINKLER IDENTIFICATION SIGNS are made of aluminum, painted white, and printed with fade-resistant red ink. Each sign has predrilled mounting holes for easy installation.

	0 1	
P/N	DESCRIPTION	LXH
A142	"Automatic Sprinkler"	6" x 4"
A143	"Control Valve"	6" x 2"
A160	"Inspection Test"	6" x 2"
A161	"Main Drain"	6" x 2"
A162	"Sprinkler Control"	6" x 2"
A163	"Alarm Test"	6" x 2"
A164	"Hydraulic Data"	6" x 4"
A165	"Sprinkler Fire-Alarm"	$7^{3}/_{4}$ " x 6
A221◆	"Air Control"	6" x 2"
A222◆	"Air Line"	6" x 2"
A223◆	"Alarm Line"	6" x 2"
A224◆	"Anti-Freeze System"	6" x 2"
A225◆	"Auxiliary Drain"	6" x 2"
A226◆	"This Valve Controls"	9" x 7"
A227◆	"Drain"	6" x 2"
A228◆		6" x 2"
A229◆	"Dry Standpipe"	6" x 2"
A232◆	"Hydraulic System"	5" x 7"
A233◆	"Main Control"	6" x 2"
A234◆		6" x 2"
A235◆	"Normally Open"	6" x 2"
A236◆	"Open Sprinkler Control"	6" x 2"
A237◆	"Open Sprinkler Drain"	6" x 2"
A238◆	"Sprinkler Valve Room"	6" x 2"
A239◆	"Test & Drain"	6" x 2"
A240◆		6" x 2"
A241◆		6" x 2"
A242◆	"Wet Standpipe"	6" x 2"
A243◆	"Fire Sprinkler Valve"	6" x 2"

♦ Plastic coated

SPRINKLER ALARM SIGNS are made of plastic, painted red, and printed with fade-resistant white ink. Each circular sign has a predrilled mounting hole for easy installation over alarm bell.

P/N	DESCRIPTION	DIA
RP251	"Sprinkler Fire Alarm"	7"

These quality made **FDC SIGNS** help firefighters find water sources quickly. Signs are made of aluminum with predrilled holes for easy mounting.

P/N	DESCRIPTION	LXH
A244	"Fire Department Connection"	4" x 6"
A245	"FDC" w/ Arrow, 4" Letters	12" x 10"
A246	"FDC", 6" Letters	10" x 14"
RA246	"FDC", 6" Reflective Letters	7" x 14"





FIRE SYSTEM
TO BE ACTIVATED
PRIOR TO USING
EXTINGUISHER
A273




























NOT AN EXIT

EXAMPLE #1

THIS DOOR TO REMAIN UNLOCKED WHEN THE BUILDING IS OCCUPIED

FRYER #1

EXAMPLE #3

EXAMPLE #2



EXAMPLE #4



CUSTOM ENGRAVED SIGNS

Two exciting options available—PLASTIC WITH PRE-PUNCHED HOLES OF PLASTIC WITH ADHESIVE BACK.

- Custom made to your specifications—up to 432 sq in.
- · Seven different color schemes available.
- Comes complete with pre-punched corner holes or adhesive backs.
- Service your non-traditional sign needs with our custom signs up to (24" x 18").

EXAMPLES:

PLASTIC WITH PRE-PUNCHED HOLES



RED ON WHITE

PLASTIC WITH ADHESIVE BACK

System Serviced in Accordance with NFPA17 or 17A and 96 by **ABC Fire Systems** (555) 555-5555

RED ON WHITE

REMOTE PULL FOR HOOD #1

BLACK ON YELLOW

SIGNS, LABELS, & TAGS

EMAIL



CORPORATE HEADQUARTERS

P.O. Box 481888 Charlotte, NC 28269 www.BrooksEquipment.com **TELEPHONE** 800.826.3473 / 704.596.9438 **FAX** 800.433.9265

CUSTOM ENGR	AVED SIGNS EASY	ORDER I	FORM	Sales@	BrooksEquipment.com
ORD	DERED BY	3 Check (✓	') the color you want.		
Company Name		□ RED	ON WHITE		BLACK ON YELLOW
Account #			(RW)	(WR)	(BKY)
Purchase Order		■ WHIT	(WB)	WHITE ON GREEN (WG)	☐ BLACK ON WHITE (BKW)
Ordered By			E ON BLACK		
Phone	Fax		(WBK)		
SI	HIP TO	4 What do	you want your sign to	say?	
Name		$\dashv \uparrow $			If you have a special design or layout, draw it in the box.
Address					Not a designer? Let us do it for you at no extra charge!
Address		_ Ĥ			Call your Account Rep for more information. (High
City S	State Zip				resolution image required).
		\	14		
		5 Check (the type of mounting	y vou want.	~
DIRI	ECTIONS				CORNER HOLES
1 Check (✓) the orientation you want.			OHESIVE BACKIN	IG	CORNER HOLES
П Р	L L	6 Add color	r code to part number	r(s) and insert quantities.	YOUR CUSTOMIZED MESSAGE HERE
Portrait	Landscape		·	TH PRE-PUNCHED CORN	ER HOLES
9 14/6-4 dimensional	·	P/N	DESCRIPTION		QTY
2 What dimensions do you v		CS15	_ Custom Engrave	ed Sign (up to 15 sq in)	
"H	"W	CC20		od Cign (up to 20 ag in)	

Maximum Sign Size: 18"H x 24"W Minimum Size: 1"H x 2"W

Custom Engraved Sign (up to 30 sq in) CS30 CS96_ Custom Engraved Sign (up to 96 sq in) Custom Engraved Sign (up to 144 sq in) CS144 Custom Engraved Sign (up to 228 sq in) CS228_ Custom Engraved Sign (up to 432 sq in) CS432

CUSTOM ENGRAVED SIGNS WITH FOAM ADHESIVE BACKING			
P/N	DESCRIPTION	QTY	
CS15A	Custom Engraved Sign (up to 15 sq in)		
CS30A	Custom Engraved Sign (up to 30 sq in)		
CS96A	Custom Engraved Sign (up to 96 sq in)		
CS144A	Custom Engraved Sign (up to 144 sq in)		
CS228A	Custom Engraved Sign (up to 228 sq in)		
CS432A	Custom Engraved Sign (up to 432 sq in)		

PHOTOCOPY THIS FORM AND FAX TO 800.433.9265 OR VISIT WWW.BROOKSEQUIPMENT.COM



















BL122







FLORIDA TRUSS SIGNS, from Brooks, are made of engineer-grade prismatic material and available in 0.040 aluminum with radius corners and four mounting holes or vinyl peel and stick. Measuring 9" x 9" with the compliant 8" x 8" Maltese symbol, these signs are designed to comply with the requirements of Rule 69A-60.0081 of the Florida Fire Prevention Code. This rule requires that any structure that uses light-frame truss-type construction be marked with an approved symbol.

P/N	DESCRIPTION
AMR	Aluminum "R" (Roof)
AMRF	Aluminum "RF" (Roof/Floor)
AMF	Aluminum "F" (Floor)
BLMR	Vinyl "R" (Roof)
BLMRF	Vinyl "RF" (Roof/Floor)
BLMF	Vinyl "R" (Roof) Vinyl "RF" (Roof/Floor) Vinyl "F" (Floor)

NUMBER KIT

Self-adhesive NUMBER KIT includes 25 each of numbers 0-9, measuring 1" x $\frac{5}{8}$ " with a $\frac{1}{8}$ " border (top and bottom). Comes in a sturdy 10-compartment plastic storage box. Order numbers individually too.

P/N	DESCRIPTION
BLKIT	Self-Adhesive Vinyl Number Kit
BL	Individual Numbers, 0-9
	Add Number to Blank to Order

EXTINGUISHER OPERATING LABELS

Self-adhesive, vinyl FIRE CLASSIFICATION LABELS.

P/N	DESCRIPTION	LXH
BL101	"Use On All Fires – ABC"	$4^{1/2}$ " x $1^{3/4}$ "
BL102	"Use Only On – BC"	$4^{1/2}$ " x $1^{3/4}$ "
BL103	"Use Only On – A" "ABC" Pictorial	$4^{1/2}$ " x $1^{3/4}$ "
BL101N		$4^{1/2}$ " x $1^{3/4}$ "
BL102N	"BC" Pictorial	$3'' \times 1^{3/4}''$
BL103N	"A" Pictorial	$4^{1}/_{2}$ " x $1^{3}/_{4}$ "

Self-adhesive vinyl PICTORIAL OPERATING LABELS.

P/N	DESCRIPTION	LXH
BL122	Extinguisher Instruction	$5^{1/2}$ " x $2^{1/2}$ "

Self-adhesive vinyl PICTORIAL OPERATING LABELS for ABC and BC fire extinguishers.

P/N	DESCRIPTION	LXH
BL200	ABC Extinguisher w/ Hose	$3'' \times 5^{1/4}''$
	Instruction	
BL201	ABC Extinguisher w/ Nozzle	$3'' \times 5^{1/4}''$
	Instruction	
BL202	BC Extinguisher w/ Hose	$3'' \times 5^{1/4}''$
	Instruction	
BL203	BC Extinguisher w/ Nozzle	$3'' \times 5^{1/4}''$
	Instruction	

Self-adhesive vinyl PICTORIAL OPERATING LABELS for water and CO2 fire extinguishers.

P/N BL204 DESCRIPTION LXH 3" x 5¹/₄" Water Extinguisher Instruction BL206 CO₂ Extinguisher Instruction 3" x 5¹/₄"

Self-adhesive vinyl PICTORIAL OPERATING LABELS for cartridge-operated ABC and BC fire extinguishers.

DESCRIPTION P/N 3" x 5¹/₄" **B**L207 ABC Cartridge Extinguisher Instruction 3" x 5¹/₄" BL208 BC Cartridge Extinguisher Instruction

Self-adhesive vinyl PICTORIAL OPERATING LABELS for CO2 fire extinguishers.

P/N	DESCRIPTION	LXH
BL209	5 lb CO2 Extinguisher	$5'' \times 5^{1/2}''$
	Instruction	
BL210	Larger CO2 Extinguisher	$5'' \times 5^{1/2}''$
	Instruction	

DOT LABELS

DEPARTMENT OF TRANSPORTATION

COMPRESSED GAS LABELS, per DOT 49CFR, section

172.400A. Self-adhesive heavy-duty material with tough fade-resistant inks that will not come off with normal cleaning compounds.

DESCRIPTION BL173 "Carbon Dioxide UN 1013" 57/8" x 21/4"

DEPARTMENT OF TRANSPORTATION LABELS

P/N	DESCRIPTION	LXH
BL177	"Nitrogen Compressed	$5^{3}/_{4}$ " x $2^{1}/_{4}$ "
	UN 1066"	
BL178	"Halon 1211 & Nitrogen	$5^{3}/_{4}$ " x $2^{1}/_{4}$ "
	UN 1956"	

DEPARTMENT OF TRANSPORTATION LABELS

P/N	DESCRIPTION	LXH
BL179	"Halon 1301 & Nitrogen UN 1956"	$5^{7/8}$ " x $2^{1/4}$ "
BL180	"Compressed Air UN 1002"	5 ⁷ / ₈ " x 2 ¹ / ₄ "

DEPARTMENT OF TRANSPORTATION LABELS

P/N	DESCRIPTION	LXH
BL181	"Oxygen UN 1072"	$5^{3}/_{4}$ " x $2^{1}/_{4}$ "
BL184	"Carbon Dioxide UN 1013"	$3^{3}/8'' \times 2''$
BL191	"Halotron & Argon UN 1956"	$5^{3}/_{4}$ " x $2^{1}/_{4}$ "
BL192	"FE36 & Nitrogen UN 1956"	$5^{3}/_{4}$ " x $2^{1}/_{4}$ "





























NON-FLAMMABLE GAS BL171



RS301

YOUR COMPANY NAME HERE (012) 345-6789 HEALTH FLAMMABILITY REACTIVITY 0 SSPHMCL1 SSPHMCL1

CONDUCTIVITY TEST LABEL **SSPCTL**

"NON-FLAMMABLE GAS" DOT SHIPPING LABELS

(paper) are sold in rolls of 500.

P/N DESCRIPTION LXH 4" x 4" 4" x 4³/₄" **BL171** "Non-Flammable Gas" "Non-Flammable Gas BL171FE UN 1044"

DEPARTMENT OF TRANSPORTATION LABELS

P/N DESCRIPTION LXH "Nitrogen Compressed UN 1066" $3^{3/8}$ " x 2" BL188

NFPA HAZARD IDENTIFICATION DIAMONDS come in two sizes, 10" and 16" square polystyrene. Designed to help meet

hazcom/NFPA 704 requirements with color coding to indicate fire, health, instability (reactivity), and special hazards. Also available are 3" (for 10" sign) black number/symbol kits. Kit includes three each of numerals 0, 1, 2, 3, 4, and one each of symbols for Oxidizer, Use No Water, Corrosive, and Radioactive. Minimum size of numerals and symbols must be 3" for legibility at 100'.

P/N	DESCRIPTION
RS301	NFPA 10" Hazard Identification Sign
RS302	NFPA 16" Hazard Identification Sign
BLK3	3" Numeral/Symbol Kit

CUSTOM HAZMAT LABELS

Custom HAZARDOUS MATERIAL COMMUNICATION

LABELS meet NFPA 10 requirements. Vinyl labels are custom imprinted with your company name, address, and phone number. Minimum of 100 each per copy. \$35 minimum order.

NOTE: Do not install on front of extinguisher, per NFPA 10.

P/N	DESCRIPTION	LXH
SSPHMCL1	ABC HazMat	$2^{3}/_{4}$ " x $2^{1}/_{2}$ "
SSPHMCL2	BC HazMat	$2^{3}/_{4}$ " x $2^{1}/_{2}$ "
SSPHMCL3	CO2 HazMat	$2^{3}/_{4}$ " x $2^{1}/_{2}$ "
SSPHMCL4	Halon HazMat	$2^{3}/_{4}$ " x $2^{1}/_{2}$ "
SSPHMCL5	Water HazMat	$2^{3}/_{4}$ " x $2^{1}/_{2}$ "
SSPHMCL9	Custom HazMat	$2^{3}/_{4}$ " x $2^{1}/_{2}$ "

Custom-imprinted metallic CONDUCTIVITY TEST LABELS have a single line imprint area. Two-roll minimum. 300 per roll.

P/N	DESCRIPTION L X H	
SSPCTL	Custom Conductivity Test 3" x 3/4"	
CTLBK	Blank Conductivity Test 3" x 3/4"	
	(No Minimum Order)	

Available In Vinyl Or Metalic


Choices—just one of many benefits of ordering from **Brooks**. **HYDROSTATIC TEST** and **6-YEAR MAINTENANCE**

LABELS are a necessary reminder to keep your customer's equipment maintenance and inspections up to date. And the benefit is, we'll custom imprint these labels with your company name, address, and phone number so your customer knows who to call. Plus you choose the material—white or blue vinyl or silver metallic that shows "Void" when removed—as recommended in NFPA 10. Minimum order is 1000 for vinyl and 500 for metallic labels. Sold and priced per 100. Delivery is four to six weeks.

P/N	DESCRIPTION	LXH
SSPVHT	Low-Pressure Hydrostatic	$3^{1/2}$ " x $2^{1/4}$ "
	Test, White Vinyl	
SSPV6H	6-Year Standard Hydrostatic	$3^{1/2}$ " x $2^{1/4}$ "
	Test, White Vinyl	
SSPVCA	California Hydrostatic Test,	$3^{1}/_{4}$ " x $2^{1}/_{4}$ "
	White Vinyl	- ,
SSPBL6	6-Year Maintenance, Blue	$3^{1/2}$ " x $2^{1/4}$ "
331 DE0	Vinyl	J /2 11 1 /4
	VIIIVI	

. 20	016	20	17	20	018	20	119	20	20
1	2	3 4	5	6	7	8	9 1	0 11	1:
ш	mpn	CTAT	ICALL	v te	OTER	AT	oei -		
HY 1	DRO:	STAT	ICALI	Y TE	STEE	AT I	PSI 8	9	0
HY 1	DRO:	STAT	ICALI	Y TE	STEE	7 7	-	9	0

SSPVCA





221 1011



SSPBL6

CUSTOM HYDROSTATIC TEST/6-YEAR LABELS

Custom HYDROSTATIC TEST and 6-YEAR MAINTENANCE METALIZED LABELS.

	P/N	DESCRIPTION	LXH
	SSPLPHTL	Low-Pressure Hydrostatic	$3^{1/2}$ " x $2^{1/4}$ "
		Test, Silver Metallic	
	SSPHTLCA	California Hydrostatic Test	$3^{1}/_{4}$ " x $2^{1}/_{4}$ "
>	SSPHTLCADOT	California DOT Hydrostatic	$3^{1}/_{4}$ " x $2^{1}/_{4}$ "
		Test	
	SSP6YR	6-Year Maintenance	$3^{1/2}$ " x $2^{1/4}$ "
	SSP6HTL	6-Year Standard Hydrostatic	$3^{1/2}$ " x $2^{1/4}$ "
		Test	
	SSPM6HTL	6-Year Standard Hydrostatic	$3^{1/2}$ " x $2^{1/4}$ "

TL 6-Year Standard Hydrostatic 3¹/₂" x 2¹/₄" Test, Matte Finish

BLANK HYDROSTATIC TEST/6-YEAR LABELS are

silver "Void" metalized material. Stamp your own name (with permanent ink). 250 per roll.

P/N	DESCRIPTION	LXH
6HTLBK	6-Year Blank Hydrostatic	$3^{1/2}$ " x $2^{1/4}$ "
	Test, Silver Metallic	

COMPOSITE CYLINDER TEST LABELS for recording test information on composite cylinders, per DOT 49CFR, section 180.213. Instructions provided.

P/N	DESCRIPTION	LXH
CRL50	Composite Retest Labels,	$2'' \times 1^{1/4}''$

FIVE-MINUTE EPOXY for applying over the Composite

Test Labels.

P/N DESCRIPTION 5ME 5-Minute Epoxy, 1 oz














CUSTOMSTAMP1















CUSTOM SERVICE TAGS

Custom-imprinted extinguisher **SERVICE TAGS** are printed on both sides on coated 13-pt stock with reinforced eyelets. Metal eyelets and/or wire optional. Deadline—final proof due every 10th and 25th of each month with delivery in six to eight weeks. Years are changed automatically every October. Colors available: Yellow (Y), Orange (O), Blue (B), Green (G), Red (R), Lilac (L), and White (W). Call Sales for pricing on large orders, special designs and our custom stocking program. **NOTE:** It is the customer's responsibility to be sure the tag design meets all local and state regulations. SSPRUSH3 & 5 are not available for Tyvek® tags.

P/N	DESCRIPTION
SSPPL	Plate Charge (New & Revised Orders Only) Set-Up Charge (For Each Order)
SSPSU	Set-Up Charge (For Each Order)
SSPME	Metal Eyelets Add-On
SSPWIRE	Wire Attachment Add-On
SSP2C0	2nd Ink Add-On
SSP3C0	3rd Ink Add-On
SSPTVK	Tyvek Add-On, White Only (Min 2000)
SSPTVKWIRE	Tyvek Wire Attachment Add-On
SSPFLU	Fluorescent Add-On (No Rush Delivery)
SSPRUSH	Rush Charge, 2–3 Week Print Time (Max 10,000)
SSPRUSH5	Rush, 5 Day Print Time (Max 10,000)
SSPRUSH3	Rush, 3 Day Print Time (Max 10,000)

Custom-imprinted **SELF-INKING STAMP KIT** comes complete with everything you need—stamp, ink, and dry cartridge. Easily stamps standard and coated cardstock. Stamp also features clear positioning window for accurate positioning and replaceable ink cartridges. **STAMP1** offers 2500 impressions and **STAMP2** 8000 impressions per bottle of ink. Signed proof must be received before order is processed. Allow one week for delivery.

P/N	DESCRIPTION
STAMP1HOUSING	
STAMP2HOUSING	Replacement Housing for STAMP2
DIC1	Dry Ink Cartridge for STAMP1
DIC2	Dry Ink Cartridge for STAMP2
BTI	Black Textile Ink, 2 oz
CUSTOMSTAMP1	Custom Stamp, $1^{1/2}$ " x 3"
CUSTOMSTAMP2	Custom Stamp, $3/4$ " x $1^7/8$ "

Custom-imprinted STANDARD SERVICE TAGS have a minimum order of 2000 tags. See above for additional options and color codes. Priced and sold per 1000.

P/N	DESCRIPTION	LXH
SSPST_	Custom Service Tags	$2^{5/8}$ " x $5^{1/4}$ "
STSTAMP2	Stamp for Service Tag	$^{3}/_{4}$ " x $1^{7}/_{8}$ "

Custom-imprinted **SERVICE TAGS** have a minimum order of 2000 tags. Tags meet state regulations as of catalog printing. See above for additional options and color codes. Priced and sold per 1000. **NOTE:** Red not permitted in Texas!

	-	
P/N	DESCRIPTION	LXH
SSPFL_	Custom Florida	$2^{5/8}$ " x $5^{1/4}$ "
FLSTAMP2	Stamp for Florida Tag	$^{3}/_{4}$ " x $1^{7}/_{8}$ "
SSPTX_	Custom Texas	$2^{5/8}$ " x $5^{1/4}$ "
TXSTAMP1	Stamp for Texas Tag	$1^{1/2}$ " x 3"
SSPGA	Custom Georgia, Yellow	$3'' \times 5^{1/2}''$
GASTAMP2	Stamp for Georgia Tag	$^{3}/_{4}$ " x $1^{7}/_{8}$ "
SSPGAB	Custom Georgia, Lt. Blue	$3'' \times 5^{1/2}''$
GABSTAMP2	Stamp for Georgia Tag	$^{3}/_{4}$ " x $1^{7}/_{8}$ "
SSPLTAG	Custom Louisiana, Green	$2^{5/8}$ " x $5^{1/4}$ "
LTAGSTAMP1	Stamp for Louisiana Tag	$1^{1/2}$ " x 3"
SSPLTAGB	Custom Louisiana, Blue	$2^{5/8}$ " x $5^{1/4}$ "
LTAGBSTAMP1	Stamp for Louisiana Tag	$1^{1/2}$ " x 3"

Custom-imprinted ILLINOIS SERVICE TAGS have a minimum order of 2000 tags. Tags meet state requirements as of catalog printing. See page 176 for additional options. White. Priced and sold per 1000.

P/N SSPILW **DESCRIPTION** $2^{5/8}$ " x $5^{1/4}$ " Custom 2016 Illinois Service Tags $^{3}/_{4}$ " x $1^{7}/_{8}$ " ILSTAMP2 Stamp for Illinois Tag

Custom-imprinted CALIFORNIA SERVICE TAGS have a minimum order of 2000 tags. Tags meet state regulations as of catalog printing. See page 176 for additional options and color codes. Priced and sold per 1000.

NOTE: Red not permitted in California!

P/N SSPCA_ DESCRIPTION LXH $2^{3/8}$ " x $4^{3/4}$ " Custom California Tag Add Color Code to Blank to Order $^{3}/_{4}$ " x $1^{7}/_{8}$ " CASTAMP2 Stamp for California Tag SSPCAFSTAG Custom CA Fixed Systems Tag, 25/8" x 51/4" White CAFTAGSTAMP1 Stamp for California FS Tag $1^{1/2}$ " x 3"

Custom-imprinted "N"-STYLE SERVICE TAG has a minimum order of 2000 tags. Tag is printed in black and red ink. See page 176 for additional options and color codes. Priced and sold per 1000.

P/N SSPNF_ DESCRIPTION Custom "N"-Style Service Tag 25/8" x 51/4" Add Color Cod e to Blank to Order

Stamp for "N"-Style Tag 3/4" x 17/8" NFSTAMP2

BLANK SERVICE TAGS


BLANK SERVICE TAGS are priced per 100. All tags meet state regulations as of catalog printing.

P/N	DESCRIPTION	LXH
STAGBK	Blank Standard Tag, Yellow	$2^{5/8}$ " x $5^{1/4}$ "
STAGBKSTAMP1	Stamp for Blank Standard Tag	$1^{1/2}$ " x 3"
GATAGBK	Blank Georgia Tag, Yellow	$3'' \times 5^{1/2}''$
GATAGBKSTAMP1	Stamp for Blank Georgia Tag	$1^{1/2}$ " x 3"
GABTAGBK	Blank Georgia Tag, Lt. Blue	$3'' \times 5^{1/2}''$
GABTAGBKSTAMP1	Stamp for Blank Georgia Tag	$1^{1/2}$ " x 3"
LGTAGBK	Blank Louisiana Tag, Green	$2^{5/8}$ " x $5^{1/4}$ "
LGTAGBKSTAMP1	Stamp for Blank Louisiana Tag	$1^{1/2}$ " x 3"
TXTAGBK	Blank Texas Tag, White	$2^{5/8}$ " x $5^{1/4}$ "
TXTAGBKSTAMP1	Stamp for Blank Texas Tag	$1^{1/2}$ " x 3"
ILTAGBK	Blank Illinois Tag, Lt. Blue	$2^{5/8}$ " x $5^{1/4}$ "
ILTAGBKSTAMP1	Stamp for Blank Illinois Tag	$1^{1/2}$ " x 3"
NFWBK	Blank "N"-Style Tag, White	$2^{5/8}$ " x $5^{1/4}$ "
NFWBKSTAMP1	Blank "N"-Style Tag, White Stamp for Blank "N"-Style	$1^{1/2}$ " x 3"
	Tag	


CUSTOM SERVICE AND INSTALLATION LABELS

Custom, vinyl SERVICE LABELS can be printed with your custom design or our standard design. Imprinted with fade-resistant black ink on white vinyl. Sold in rolls of 1000 each.

P/N	DESCRIPTION	LXH
SSPVSTAG	Custom Service Label	$2^{5/8}$ " x $5^{1/4}$ "
SSPCSTAG	Custom Design Label	$2^{5/8}$ " x $5^{1/4}$ "
SSPCACS	Custom CA Service Label	$2^{5/8}$ " x $5^{1/4}$ "
SSPCASYS	Custom CA Mandated	$2^{5/8}$ " x $5^{1/4}$ "
	Systems Label	
SSPCANFPA25	Custom CA NFPA	$2^{5/8}$ " x $5^{1/4}$ "
	Sprinkler Label	
SSPFLTAG	Custom FL Service Label	$2^{5/8}$ " x $5^{1/4}$ "













SSPFSL
















Custom "CALL FOR SERVICE" LABEL with your company name and phone number. White polyvinyl with red/yellow border and black imprint. Use on extinguishers, hoods, first aid kits, hose stations, etc. Sold in rolls of 500 each.

 $\begin{array}{lll} \mbox{P/N} & \mbox{DESCRIPTION} & \mbox{L X H} \\ \mbox{SSPFSL} & \mbox{Custom "Call for Service"} & \mbox{3$^{1}\!/\!_{4}$" x 2$"} \end{array}$

Imprinted vinyl **INSTALLATION LABELS** for automatic systems and alarm panels. Sold in rolls of 100 each.

P/N	DESCRIPTION	LXH
LAIL100	Louisiana Installation Label	$3^{7/8}$ " x $3^{7/8}$ "
TXIL100	Texas Installation Label	5" x 4"
OKIL100	Oklahoma Installation Label	5" x 4"

AGENT REPLACEMENT LABEL. Use to record agent replacement as required by NFPA 10, sections 7.7.2.3.1 (Foam), 7.7.2.2 (Wetting Agent), and 7.7.3.11 (Wet Chemical). Same material as our continuity test labels (silver metallic), preprinted with four years on a roll of 300 labels.

P/N	DESCRIPTION	LXH
ARL300	Agent Replacement Label	3" x ³ / ₄ "

VERIFICATION OF SERVICE COLLARS (CUSTOM AND BLANK)

VERIFICATION OF SERVICE COLLARS. Made of durable polymer material, collars are available in four different sizes. Each size is a different color for identification. Two smallest sizes have two years molded; larger ones have four.

NOTE: Collars read, "Verification of Service, YR _____" and "MN 1–12".

P/N	DESCRIPTION	PKG QTY	ID
SC1	Green	100	$1^{3}/8''$
SC2	Gray	100	$1^{3}/_{4}$ "
SC3	Blue	50	$2^{1}/8''$
SC4	Violet	50	31/16"

Custom-imprinted **VERIFICATION** OF **SERVICE**

COLLARS comply with NFPA 10. Made of high-density polyethylene with clear polyester over lamination. Available in four sizes with your company name and phone number imprinted in durable colored ink on white background. Other custom imprint available (as required by state). Normal delivery is two to four weeks. \$35 minimum order.

NOTE: Collars approved for the State of Georgia.

DESCRIPTION	PKG QTY	ID
Custom, Green	100	13/8"
Custom, Gray	100	13/4"
Custom, Blue	100	21/8"
Custom, Violet	100	$3^{1}/_{16}$ "
	Custom, Gray Custom, Blue	Custom, Green 100 Custom, Gray 100 Custom, Blue 100

Custom-imprinted CALIFORNIA VERIFICATION OF SERVICE COLLARS meet California State requirements.

Same specifications and order requirements as our custom-imprinted Verification of Service Collars (above).

NOTE: Company name and E# are required on CA collars.

P/N	DESCRIPTION	PKG QTY	ID
SSPCCAL1	Custom CA, Green	100	$1^{3}/8''$
SSPCCAL2	Custom CA, Gray	100	13/4"
SSPCCAL3	Custom CA, Blue	100	$2^{1}/8$ "
SSPCCAL4	Custom CA, Violet	100	$3^{1}/_{16}$ "

MISCELLANEOUS TAGS

CUSTOMER REPAIR TAG allows you to document the work performed on each extinguisher and the total amount to be paid. Comes with a looped string for easy attachment around gauge. The bottom is perforated to give the customer their claim check. Sold in packages of 100.

P/N DESCRIPTION CRTAG Customer Repair Tag 3¹/₈" x 5¹/₂"

Blank TEXAS IMPAIRED TAG is designed for use with portable extinguishers and systems, per Texas Code. Red with black imprint. Sold in packages of 100.

P/N DESCRIPTION LXH $2^{5/8}$ " x $5^{1/4}$ " ŔEDTXBK Texas Impaired Tag

NON-COMPLIANCE TAG is for recording deficiencies in fire equipment. Two-part carbon form with paper front and heavy, red stock backing. TNC50 meets State of Georgia code and CANC50 meets State of California code. Sold in packages of 50.

DESCRIPTION P/N 3¹/₈" x 6¹/₄" 3¹/₈" x 6¹/₄" TNC50 Non-Compliance Tag CANC50 California Non-Compliance Tag

CONDEMNED TAG for extinguishers that need to be removed from service. Red, as required by many states. Sold individually.

P/N DESCRIPTION LXH **ECTAG** Condemned Tag $5^{1/4}$ " x $2^{3/4}$ "

Use this perforated **CYLINDER TAG** to indicate whether your cylinders are empty, in use, or full. Tags are white and come with a fiber patch and wires. Sold in packs of 50.


DESCRIPTION $2^{5/8}$ " x $5^{1/4}$ " **3PCT** Cylinder Tag

AED INSPECTION TAG is sold in packages of 100. White with red print.

DESCRIPTION $2^{5/8}$ " x $5^{1/4}$ " **AED Inspection Tag** AEDTAGBK

Plastic three-year monthly INSPECTION & RECHARGE TAG record is designed for recording service and inspection dates, all on one tag. Printed in black and red ink on plastic stock. Back side is printed with 12-month record (up to four years). Sold individually.

LXH 2¹⁵/₁₆" x 5" P/N DESCRIPTION ITAG Inspection & Recharge Tag


















1111161	INSPE		UTSHER	
2016	2017	1475	2018	2019
		JAN.		
		FEB.		
		MAR.	1	
		APRIL		
		MAY	10-0	
		JUNE		
		JULY	7/ 0	
		AUG.		
0.00		SEPT.		
3 8		OCT	15	
-		NOV.	-	
		DEC		

























METAL 4-YEAR INSPECTION TAG is designed to record monthly inspections of fire extinguishers.

P/NDESCRIPTIONL X HTAGMetal 4-Year Inspection Tag $2^{1}/_4$ " x 3"

PLASTIC 4-YEAR INSPECTION TAG is made of strong 23 mil high-density yellow plastic. Tags will not break, tear, crack, or become brittle with age. Unaffected by moisture, oils, and grease too. Sold individually.

P/NDESCRIPTIONL X H4PTAGPlastic 4-Year Inspection Tag $2^{1}/_{4}$ " x 3"

Peel-and-stick monthly **INSPECTION TAG** is printed with green ink on white label stock. Sold in rolls of 100.

P/NDESCRIPTIONL X HMTAGInspection Tag2" x 3"

PLASTIC INSPECTION TAG is for outside use. Will not tear, break, crack, or become brittle with age. Unaffected by moisture, oils, and grease too. Twelve-month record on yellow plastic. Sold individually.

P/NDESCRIPTIONL X HPTAGPlastic Inspection Tag $2^{1/2}$ " x $4^{1/8}$ "

The **MONTHLY INSPECTION TAG**, printed on card stock, is ideal for indoor monthly fire equipment inspections by plant personnel. Sold in packages of 100.

P/NDESCRIPTIONL X HRT100Monthly Inspection Tag $2^{5/8}$ " x $5^{1/4}$ "

FIRE HOSE INSPECTION/HYDROTEST TAGS are

printed with red ink on white card stock. Sold individually.

 $\begin{array}{ccc} \textbf{P/N} & \textbf{DESCRIPTION} & \textbf{L X H} \\ \textbf{FHTAG} & \text{Fire Hose Inspection/} & 2^{7/8}\text{" x } 5^{3/4}\text{"} \\ \textbf{Hydrotest Tag} & \end{array}$

TAG ACCESSORIES

TAG COVERS are perfect for keeping dust and water away from your tags. Priced each.

NOTE: See Page 323 for "Zip Lock Report Holders".

P/N STC	DESCRIPTION Standard Tag Cover	H X W 6 ¹ / ₂ " x 3 ¹ / ₂ "
	2.5 mil Poly	
HSTC	Heavy-Duty Tag Cover	$6^{1/2}$ " x $3^{1/8}$ "
	10 mil Frosty Matte Soft Vinyl	
TBZL2*	Resealable Tag Cover	$6^{3}/_{4}$ " x $3^{3}/_{8}$ "
	(Adhesive-Backed)	
	10 mil Satin	
TBZL3*	Resealable Tag Cover	$6^{3}/_{4}$ " x $3^{3}/_{8}$ "
	10 mil Satin	
RFTC2*	Heavy-Duty Red Flap Tag Cover	$7^{1/6}$ " x $3^{5/16}$ "
	10 mil Satin	
	*Must Order in Lots of 50	

TAG FASTENERS

P/N	DESCRIPTION
SAT	5" Secur-A-Tach Tag Seal, Pkg/1000
NS18	5½" Nylon Tag Seal, Pkg/5000
PS14	5 ¹ / ₄ " Polypropylene Seal, Pkg/5000
WF	Galvanized Tag Wire, Pkg/1000
TF1000	Diamond Tag Fastener, Pkg/1000